


5G車聯網測試解決方案

蕭鴻凱 Bruce Shiau DEKRA德凱 總工程師室RF/EMC資深總監





車聯網關鍵技術及測試方案

- 車聯網通訊技術概述
- 互聯駕駛技術介紹
- DSRC / C-V2X / eCall測試認證要求



ABOUT DEKRA

DEKRA has been active in the field of safety for +90 years. Founded in **1925** in Berlin as Deutscher Kraftfahrzeug-Überwachungs-Verein e.V., it is today one of the world's leading expert organizations.

With qualified and independent expert services, we work for safety in more than 50 countries.

















What we do - service portfolio





SAFETY TESTING

- Electrical safety
- Quality & performance
- Software assessment
- Battery safety
- Functional safety
- Environmental
- Performance & benchmark
- Material & chemical
- Reliability & failure analysis
- Usability







- Electromagnetic Compatibility (EMC)
- Radio Frequency (RF)
- RF-Exposure: SAR & MPE
- Conformance (PTCRB/GCF)
- Interoperability (Wi-Fi & Bluetooth)
- Carriers acceptance testing
- Cyber Security Evaluation
- Field (usability) testing
- Connected and automated driving

- EU Notified Body for Radio Equipment Directive (RED)
- EU Notified Body for the EMC Directive
- IECEE Certification Body (CB scheme)
- US (FCC) Telecom Certification Body (TCB)
- Canadian (ISED) Foreign Certification Body(FCB)
- North America NRTL (MET,CSA)
- Inmetro (Brazil), GCC (Gulf Countries)
- Cyber Security Certification (Common Criteria/ISO 15408, etc.)

- International Market Access
- International Type Approval
- Access to more than 200 countries

Wireless testing & certification services







- Open Connectivity Foundation
- Thread Group
- LoRa AllianceTM
- SigFox
- Continua[®]
- Zigbee[®] Alliance
- OneM2M

- MirrorLink
- Ultra Low Energy (ULE) Alliance
- CTIA Bluetooth® Interoperability
- Omniair
- C-V2X
- eCall

- Bluetooth SIG Bluetooth
 Qualification Test Facility
 (BQTF) and Bluetooth
 Qualification Expert
 (BQE/BQC)
- Wi-Fi Alliance®
 (incl. Converged Devices
 CWG, LTE-U coexistence)

- Near Field Communication (NFC Forum)
- ENVCo
- Wireless Charging: AirFuel Alliance (Rezenze and PMA)



車聯網通訊技術概述

A Wireless Intelligent Vehicle Networking

5G Release Schedule






- NR
- The 5G System Phase 1
- Massive MTC and Internet of Things (IoT)
- Vehicle-to-Everything Communications (V2x) Phase 2
- Mission Critical (MC) interworking with legacy systems
- WLAN and unlicensed spectrum use
- Slicing logical end-2-end networks
- API Exposure –
 3rd party access to 5G services
- Service Based Architecture (SBA)
- Further LTE improvements
- Mobile Communication System for Railways (FRMCS)

3€ Release 16

- The 5G System Phase 2
- V2x Phase 3: Platooning, extended sensors, automated driving, remote driving
- Industrial IoT
- Ultra-Reliable and Low Latency Communication (URLLC) enhancements
- NR-based access to unlicensed spectrum
- 5G Efficiency: Interference Mitigation, SON, eMIMO, Location and positioning, Power Consumption, eDual Connectivity, Device capabilities exchange, Mobility enhancements
- Enhancements for Common API Framework for 3GPP Northbound APIs (eCAPIF)
- FRMCS Phase 2



Still 5G but be ready for next generation

DEKRA

Release 17

- NR MIMO
- NR Sidelink enh.
- 52.6 71 GHz with existing waveform
- Dynamic Spectrum Sharing (DSS) enh.
- Industrial IoT / URLLC enh.
- Study IoT over Non Terrestrial Networks (NIN)
- NR over Non Terrestrial Networks (NTN)
- NR Positioning enh.
- Low complexity NR devices
- Power saving
- NR Coverage enh.
- Study NR eXtended Reality (XR)
- NB-IoT and LTE-MTC enh.
- 5G Multicast broadcast
- Multi-Radio DCCA enh.
- Multi SIM
- Integrated Access and Backhaul (IAB) enh.


- NR Sidelink relay
- RAN Slicing
- Enh. for small data
- SON / Minimization of drive tests (MDT) enh.
- NR Quality of Experience
- eNB architecture evolution, LTE C-plane / U-plane split
- Satellite components in the 5G architecture
- Non-Public Networks enh.
- Network Automation for 5G phase 2
- Edge Computing in 5GC
- Proximity based Services in 5GS
- Network Slicing Phase 2
- Enh. V2x Services
- Advanced Interactive Services
- Access Traffic Steering, Switch and Splitting support in the 5G system architecture

- Unmanned Aerial Systems
- 5GC LoCation Services
- Multimedia Priority Service (MPS)
- 5G Wireless and Wireline Convergence
- 5G LAN-type services
- User Plane Function (UPF) enh. for control and 5G Service Based Architecture (SBA)

These are some of the Rei-17 headline features, prioritized during the December 2019 Plenaries (TSG#86)

Start of work: January 2020

timeline



* These milestones show a 3-month shift compared to previously approved timelines

Full details of the content of Rei-17 are in the Work Plan: www.3gpp.org/specifications/work-plan

Connected Car to Autonomous Driving



In recent decade, M2M with broadband wireless communications have been implemented into several use cases where Connected Car is one of major developed market for better usage of service access like Navigation, Infotainment and Emergency Service (e-Call).

The Connected Car is expected soon move to next technology generation like Autonomous Driving to offer <u>Increased Safety</u>, <u>Increase Fuel Efficient</u> and <u>Better Driving Experience</u>.



From ADAS to SAE Level 5



While being future proof and scalable to meet the requirements of use cases of tomorrow, e.g., Advanced Driver Assistance Systems (ADAS), where vehicles can cooperate, coordinate and share sensed information, and ultimately Driverless.

How to reach SAE Level 5

- AI(Artificial Intelligence)
- Cloud Computing.
- IoT(Internet of Things)
- V2X(Vehicle to Everything)




DEKRA Own Know-How across the Full Spectrum



Automated Driving

Connected Driving





互聯駕駛技術介紹與測試認證要求

V2X (DSRC / C-V2X) Technology, Applications and Certification Requirements.

V2X - Enhanced Safety, Enabling Higher Levels of Automation






2 wireless technologies are currently being proposed -

- □DSRC (based on IEEE 802.11p)
- □C-V2X (based on 3GPP Rel-14 LTE-A Pro & Rel-15 5GNR)

V2V, V2I, V2P, V2N ...


Technology to enhance driving experience, prevent accidents and collisions, assist traffic flow, enable higher levels of automated driving.



Secure V2X considered necessary for L3/L4 ADAS

V2X Technologies: Evolution






- DSRC IEEE802.11p based
 - Based on 802.11a
 - Products ready with actual deployments, extensive interop tests and field trials.(DOT/NHTSA)
 - Adopted or being considered by some regions.

- C-V2X 3GPP LTE-based
 - Reuses LTE UL frame structure (Rel 14)
 - Longer symbol and GI durations
 - Leveraging more recent PHY technologies:
 - Improved air interface: Uplink: SC-FDM. Downlink: OFDM
 - Multi-antenna technology: Diversity, MIMO, Beam-forming
 - High spectrum flexibility
 - Still on going extensive field trials/testing.(more and more coming)
 - Qualcomm, Huawei and 5GAA are promoting heavily.

3GPP LTE-V2X and IEEE802.11pTechnology Overview





OMNIAIR Authorized Test Laboratories (OATL)



DEKRA is an (OATL)



It runs approved test systems under the certification program and ultimately provides the certification to the OBU or RSU tested.



CERTIFICATE OF LABORATORY AUTHORIZATION







DEKRA

Malaga, Spain Test Laboratory

For passing the audit requirements to become an OmniAir Authorized Test Laboratory

DSRC-V2X Conformance Release 1

CERTIFICATE 2018101901 Awarded this 19th day of October 2018

Randy Roebuck / Technical Direct

Jason W. Conley

Interest Group and Standardization Requirements


OMNIAIR Certification



OMNIAIR Release 1 test procedures:

Standard	Scope	#R1 TCs
802.11p	Physical Layer	14
IEEE1609.4	Multi-Channel Operations	4
IEEE1609.3	Network (WSM & WSA)	23
IEEE1609.2	Security/Certificates	16
SAEJ2945/1	Requirements for BSM	24

Release 2 will include: field testing, interoperability & cybersecurity.



OMNIAIR - Plugfest

- MNIAIR European Plugfest Hosted by DEKRA Málaga, Spain (9/30 ~10/4 2019)
- for both C-V2X and DSRC/ITS-G5 devices, including OBUs and RSUs.
- in both Lab and Field environments. Testing to be offered in the following areas:
 - Radio testing for C-V2X PC5 and DSRC
 - Conformance testing against OmniAir specifications for DSRC
 - Conformance testing against existing OmniAir specifications (draft) for C-V2X
 - Testing against ETSI specifications for ITS-G5
 - BSM(Basic Safety Message) Performance & Location Accuracy Testing for DSRC
 - BSM Drive Comparison Testing for DSRC and possibly C-V2X
 - SCMS(Security Certificate Management System) Security Certificate
 Testing (including new OmniAir security test cases)
 - Reference Device Testing Availability for Certified DSRC Device with Stakeholder (limit two total)









https://youtu.be/bWocRhXwZsU

Regulatory Requirements





- OBUs: FCC Tittle 47, Part 95, Subpart L Dedicated Short-Range Communications Service On-Board Units (DSRCS-OBUs)
- RSUs: FCC Tittle 47, Part 90, Subpart M Intelligent Transportation Systems Radio Service

*WAVE: Wireless Access in Vehicular Environments

 EN 302 571 Intelligent Transport Systems (ITS); Radiocommunications equipment operating in the 5 855 MHz to 5 925 MHz frequency band; Harmonized Standard covering the essential requirements of article 3.2 of Directive 2014/53/EU

DEKRA provides regulatory testing services for FCC (US) and RED (EU) requirements

FCC Spectrum for ITS Operations

FCC Spectrum Plan

DSRC: 5895MHz ~5905MHz

C-V2X: 5905MHz~5925MHz (ET Docket No. 19-138, FR


Doc. 2020-02086)

RSU: 47CFR Part 90

OBU: 47CFR Part 95



DEKRA




https://www.dekra.com.tw/tc/fcc-kai-fang-6ghz-pin-duan-wi-fi-6e-ji-5g-nr-u-chan-pin-ke-wang-shou-hui-xin-zeng5-26geng-xin//

C-V2X Communication






V2V, V2I, and V2P operating in ITS bands (e.g. ITS 5.9 GHz) independent of cellular network



Short range (<1 kilometer), location, speed ...
Implemented over "PC5 interface"

Network

V2N operates in traditional mobile broadband licensed spectrum



Long range (>1 kilometers). e.g. accident ahead Implemented over "Uu interface"

Source: Keysight

Cellular V2X - GCF testing and certification



The Global Certification Forum (GCF) has announced the inclusion of cellular based V2X and V2V communication technologies within its certification programme


- LTE-V2V GCF Work Item 281
- LTE-V2X GCF Work Item 282

The air interface covered by this certification program in based on PC5.

DEKRA operates complex and fully approved GCF and PTCRB accredited laboratories for LTE testing and related V2X services (Uu interface)








DEKRA Capabilities

International network



 DEKRA host private test areas featuring closed tracks, safe environments, wireless infrastructure and pre-defined test set-ups.




ETSI and 5GAA Plugfest in DEKRA,SP



The ETSI Plugtests service hope to make the C-V2X tests a key event, allowing suppliers to:

- Assess the market readiness of implementations
- Validate the ETSI ITS and 3GPP V2X standards
- Test end-to-end interoperability
- Highlight early bugs and their fixes



When: December 2nd - 6th 2019

Where: Malaga, Spain

Co-located with: The ETSI-5GAA Plugtests workshop (December 4th)



DEKRA Capabilities

Test Track Availability Services

- Verification of the correct implementation of V2V / V2X safety applications, including:
 - o generation of correct messages
 - reception of messages generated by the infrastructure of other vehicles
 - o generation of appropriate warnings to the driver
- Performance testing; against speed, V2X congested scenarios, etc.
- Coexistence with other wireless technologies
- Certification field tests for OmniAir certification
- Development of customized test plans, to adapt to specific customer requirements
- Renting of test area and tools, with or without engineering support






互聯駕駛技術介紹與測試認證要求

eCall Technology, Applications and Certification Requirements.

What is eCall?



- eCall is an initiative with the purpose to bring rapid assistance to motorists involved in a collision anywhere in the European Union.
- In case of a crash, an eCall-equipped car automatically calls the nearest emergency center. Shortly after the accident, emergency services therefore know that there has been an accident, and where exactly.



What is eCall?



On 28 April 2015, the European Parliament adopted the legislation on eCall which requires all new cars be equipped with eCall technology from 31 March 2018 onward.



The quicker response will save hundreds of lives in the EU every year.

"Time saved = lives saved"

Type Approval Services for eCall in the EU








Directive	Component	STU	Vehicle
EU 2015/758 eCall Regulation	✓	✓	✓
EU 2014/53 Radio Equipment Directive	✓	✓	N/A
Radio Frequency Spectrum	✓	✓	N/A
EMC	✓	✓	N/A
Safety	✓	✓	N/A

EU 2014/53 Radio Equipment Directive (RED) Requirements

DEKRA covers the Type Approval requirements of the 2014/53 RED Directive providing test capacity for the following requirements:

Requirement	Technologies	Reference Standards
Use of RF Spectrum	GPS, GSM & WCDMA	EN 303 413 & EN 301 511 & EN 301 908-1 & EN301 908 -2
EMC	GPS, GSM & WCDMA	EN 301 489-1 & EN 301 489-19 & EN 301 489-52
Safety	GPS, GSM & WCDMA	EN 60950-1 / EN 62368-1

- DEKRA offers Type Approval services according to the RED Directive for:
 - Components.
 - Separate Technical Units (STU).



DEKRA Conformance Testing Services for eCall



GCF (Global Certification Forum) Testing and Certification: Requirements

 DEKRA covers the requirements for eCall certification testing of GCF providing the following testing capacity:

Requirement	Technologies	Reference Standards
eCall Protocol Test Cases for GSM	GSM	3GPP TS 51.010-1
eCall Protocol Test Cases for WCDMA	WCDMA	3GPP TS 34.123-1
eCall Data Transfer, In-band modem	GSM & WCDMA	3GPP TS 26.269
Field Testing Including eCall Functionality	GSM & WCDMA	GCF-FTP & GSMA TS.11

- DEKRA as a GCF accredited laboratory offers complete GCF certification services to the following eCall elements: Components and Separate Technical Units (STU). GCF certification is not applicable to vehicles.
- In addition, DEKRA also provides complete PTCRB certification services to eCall elements although PTCRB does not have specific requirements for them.



Summary

DEKRA V2X Solutions



- V2X –Enhanced Safety, Enabling Higher Levels of Automation
- eCall and NGeCall
 - EU 2017/79 (EN16454 Conformance testing)
- DSRC (based on IEEE 802.11p, 5.8GHz)
 - FCC Part 95 (OBU), FCC Part 90 (RSU)
 - ITS-G5 (EN302 571)
 - OmniAir Certification



- C-V2X (based on 3GPP Rel-14 LTE-A Pro, Band 47)
 - FCC Part 95 (OBU), FCC Part 90 (RSU)
 - CE EN301 908-1, EN302 571
 - GCF WI-281(V2V), WI-282(V2X)



Q&A



DEKRA德凱台灣×LINE@

好友募集中



即時接收產業最前線消息!













